





ZF-300

ZF-300 SPECS:

Caliber: 5.56

Operating System: Roller-Delayed Blowback

Mode of Fire: Semi Automatic

Magazine: 30-round AR Mag

Trigger Pull: 6-8 lbs.

Safety: Ambidextrous manually actuated lever

Weight: 7.5 lbs. (without magazine)

Barrel Length: 16 in.

Barrel: cold hammer forged 4150 cmv, ½ x 28 rh threaded

Rifling: 6 grooves, rh twist, 1:10 in.

Handguard: Mlok (free floating) heatshield,

Warranty: Limited Lifetime



ZENITH FIREARMS



THE ZENITH DIFFERENCE

At Zenith Firearms, we we take pride in being more than just an American firearm manufacturer - we are dedicated to providing an unparalleled experience that reflects our core values of quality, precision, and customer satisfaction

ZF-300 16" Rifle

ZF-300 14.5" Rifle



ZF-300 14.5" Pistol

ZF-300 12" Pistol



ZF-300 9" Pistol

ZF-300 7.5" Pistol




UNPARALLED CUSTOMER SERVICE

Our dedicated customer service team is available Monday to Friday to assist with inquires and concerns. Backed by our comprehensive limited lifetime warranty, we offer unwavering support for our firearms. Expert gunsmiths handle maintenance, repairs, modifications, refurbishing and guaranteeing your firearms' prime condition. Our effectively and convenient location ensure quick turnaround times for all your service needs.

MADE IN THE USA: A SYMBOL OF QUALITY AND CRAFTSMANSHIP

Born in the heart of Afton, Virginia, our firearms undergo meticulous craftsmanship to deliver unrivaled precision. Guided by a team of expert engineers, gunsmiths and roller delayed specialists, we've reimaged the ZF-5 to present a superior yet unmistakably iconic firearm.



For inquiries, support, and to explore the ZF-5 and other exceptional firearms, connect with our dedicated team.

www.zenithfirearms.com | 434-202-7790 | info@zenithfirearms.com

For inquiries, support, and to explore the ZF-56 and other exceptional firearms, connect with our dedicated team.



ZF-5

9mm Roller Delayed Pistols


MADE
IN THE
USA


MADE
IN THE
USA



ZF-56

ZF-56 SPECS:

Caliber: 5.56

Operating System: Roller-Delayed Blowback

Mode of Fire: Semi Automatic

Magazine: 30-round AR Mag

Trigger Pull: 6-8 lbs.

Safety: Ambidextrous manually actuated lever

Weight: 7.5 lbs. (without magazine)

Barrel Length: 16 in.

Barrel: cold hammer forged 4150 cmv, 1/2 x 28 rh threaded

Rifling: 6 grooves, rh twist, 1:10 in.

Handguard: Mlok (free floating) heatshield,

Warranty: Limited Lifetime

ZF5-P

ZF5-T

ZF5-K



ZF-56 16" Rifle



ZF-56 14.5" Rifle



ZF-56 14.5" Pistol



ZF-56 12" Pistol



The ZF5-P/K/T line follows the same great build as the ZF-5 but allows for more maneuverability in close quarters

For inquiries, support, and to explore the ZF-5 and other exceptional firearms, connect with our dedicated team.

For inquiries, support, and to explore the ZF-56 and other exceptional firearms, connect with our dedicated team.

ZF5-K



Light & Tight Design

The ZF5-K is a compact 9mm firearm capable of semi-automatic or full-automatic firing, depending on the model. Designed as a personal defense weapon, (PDW), the ZF5-K excels in close quarter scenarios and is the ideal platform for concealment.

The ZF5-K utilizes a roller delayed blowback operating system for exceptional recoil management, accuracy and reliability.

Premium Package

Accessories included:

- >> (3) 30 round magazines
- >> 2-point sling
- >> picatinny optic rail
- >> high quality carrying case
- >> Operator's / Armorer's manual

*Optional Accessories:

- >> foldable stock
- >> Vertical foregrip

*REQUIRES REGISTRATION

ZF	ZF5-K FEATURES full-size semi-automatic roller delayed blowback
caliber	9 x 19 Parabellum
operating system	roller-delayed blowback
mode of fire	semi-automatic
magazine	30-round steel
trigger pull	6-8 lbs.
safety	manually activated lever
weight (firearm w/o magazine)	4.4 lbs.
Magazine weight empty	0.4 lbs.
Magazine weight full	1.2 lbs.
height	8.3 in.
width	2.3 in.
barrel length	4.6 in.
barrel	cold hammer forged 4150 CMV 1/2 x 26 RH threaded
rifling	6 grooves RH twist, 1:10 in.
sights	fixed hooded front, adjustable rear with 4-aperture rotary drum
sight radius	10.3 in.
forearm	hardstop

ZF-5



ZF	ZF-5 FEATURES full-size semi-automatic roller delayed blowback
caliber	9 x 19 mm Parabellum
operating system	roller delayed blowback
mode of fire	semi-automatic
magazine	30-round steel
trigger pull	6-8 lbs
safety	manually actuated lever
weight (firearm w/o magaze)	5.5 lbs
weight (empty magazine)	0.4 lbs
weight (full magazine)	1.2 lbs
length	17.9 in
height	8.3 in
width	2.0 in
barrel length	8.9 in
barrel	cold hammer forged 4150 CMV 3-lug, 1/2 x 28 RH threaded
rifling	6 grooves, RH twist, 1:10 in
sights	fixed hooded front; adjustable rear with 4-aperture rotary drum
sight radius	13.4 in
handguard	tropical wide
warranty	limited lifetime

Premium Package

Accessories included:

- >> 3 lug flash hider
- >> (3) 30 round magazines
- >> Custom 2-point sling
- >> Picatinny optic rail
- >> High quality carrying case
- >> Limited lifetime warranty

Optional Accessories:

- >> Foldable stock
- >> A3 collapsible stock

ZF5-P



Light & Tight Design

The ZF5-P is a compact 9mm firearm capable of semi-automatic or full-automatic firing, depending on the model. Designed as a personal defense weapon, (PDW), the ZF5-P excels in close quarter scenarios and is the ideal platform for concealment.

The ZF5-P utilizes a roller delayed blowback operating system for exceptional recoil management , accuracy and reliability.

Premium Package

Accessories included:

- >> (3) 30 round magazines
- >> 2-point sling
- >> Picatinny optic rail
- >> High quality carrying case
- >> Operator's / Armorer's manual

*Optional Accessories:

- >> Foldable stock
- >> Vertical foregrip

*REQUIRES REGISTRATION

ZF	ZF5-P FEATURES full-size semi-automatic roller delayed blowback
caliber	9 x 19 Parabellum
operating system	roller-delayed blowback
mode of fire	semi-automatic
magazine	30-round steel
trigger pull	6-8 lbs.
safety	manually activated lever
weight (firearm w/o magazine)	5.4 lbs.
Magazine weight empty	0.4 lbs.
Magazine weight full	1.2 lbs.
height	8.3 in.
width	2.3 in.
barrel length	5.6 in.
barrel	cold hammer forged 4150 CMV 1/2 x 26 RH threaded
rifling	6 grooves RH twist, 1.10 in.
sights	fixed hooded front, adjustable rear with 4-aperture rotary drum
sight radius	10.3 in.
forearm	hardstop

ZF5-T



Light & Tight Design

The ZF5-T is a compact 9mm firearm capable of semi-automatic or full-automatic firing, depending on the model. Designed as a personal defense weapon, (PDW), the ZF5-T excels in close quarter scenarios and is the ideal platform for concealment.

The ZF5-T utilizes a roller delayed blowback operating system for exceptional recoil management , accuracy and reliability.

Premium Package

Accessories included:

- >> (3) 30 round magazines
- >> 2-point sling
- >> Picatinny optic rail
- >> High quality carrying case
- >> Operator's / Armorer's manual

*Optional Accessories:

- >> Foldable stock
- >> Vertical foregrip

*REQUIRES REGISTRATION

ZF	ZF5-T FEATURES full-size semi-automatic roller delayed blowback
caliber	9 x 19 Parabellum
operating system	roller-delayed blowback
mode of fire	semi-automatic
magazine	30-round steel
trigger pull	6-8 lbs.
safety	manually activated lever
weight (firearm w/o magazine)	4.5 lbs.
Magazine weight empty	0.4 lbs.
Magazine weight full	1.2 lbs.
height	8.3 in.
width	2.3 in.
barrel length	5.0 in.
barrel	cold hammer forged 4150 CMV 1/2 x 26 RH threaded
rifling	6 grooves RH twist, 1.10 in.
sights	fixed hooded front, adjustable rear with 4-aperture rotary drum
sight radius	10.3 in.
forearm	hardstop